


Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1. (original) A pyrrole derivative for an organic electroluminescent element represented by Formula (1), and having a molecular weight of not less than 450:

Formula (1)



wherein:

R₁ represents an alkyl group which may have a substituent, a cycloalkyl group which may have a substituent, an aryl group which may have a substituent or a heterocyclic group which may have a substituent;


R₂ represents a hydrogen atom or a substituent;

Z₁ represents a group of atoms necessary to form a 5- to 7-membered fused ring combined with two carbon atoms; and

Z₂ represents a group of atoms necessary to form a nitrogen-containing 5- to 7-membered heterocycle combined with a carbon atom and a nitrogen atom.

Claim 2. (original) The pyrrole derivative for the organic electroluminescent element of claim 1, wherein the pyrrole derivative is represented by Formula (2):

Formula (2)



wherein:


Ar₁ represents an aryl group which may have a substituent, or a heterocyclic group which may have a substituent;

R₃ represents a hydrogen atom or a substituent; and


Z₃ and Z₄ each represent a group of atoms necessary to form a 5- to 7-membered fused ring.

Claim 3. (original) The pyrrole derivative for the organic electroluminescent element of claim 1, wherein the pyrrole derivative is represented by one of Formulae (3) to (6):


Formula (3)




Formula (4)



Formula (5)



Formula (6)



wherein:

R₄, R₇, R₁₀ and R₁₃ each represent an alkyl group which may have a substituent, a cycloalkyl group which may have a substituent, an aryl group which may have a substituent or a heterocyclic group which may have a substituent;

R₅, R₆, R₈, R₉, R₁₁, R₁₂, R₁₄ and R₁₅ each represent a substituent;


Z₅ through Z₈ each represent a group of atoms necessary to form a 5- to 7-membered fused ring;

n₁ represents an integer of 0 to 3; and


n₂ and n₃ each represent an integer of 0 to 2.

Claim 4. (original) The pyrrole derivative for the organic electroluminescent element of claim 1, wherein the pyrrole derivative is represented by one of Formulae (7) to (10):


Formula (7)




Formula (8)



Formula (9)



Formula (10)



wherein:

R₁₆, R₁₉, R₂₂ and R₂₅ each represent an alkyl group which may have a substituent, a cycloalkyl group which may have a substituent, an aryl group which may have a substituent or a heterocyclic group which may have a substituent;


R₁₇, R₁₈, R₂₀, R₂₁, R₂₃, R₂₄, R₂₆, and R₂₇ each represent a substituent;

n₄ represents an integer of 0 to 4; and

n₅ through n₁₁ each represent an integer of 0 to 3.

Claim 5. (original) The pyrrole derivative for the organic electroluminescent element of claim 1, wherein the pyrrole derivative is represented by Formula (11):

Formula (11)



wherein:

R₂₈, and R₂₉ each represent a hydrogen atom or a substituent;
 Z₉ and Z₁₂ each represent a group of atoms necessary to form a 5- to 7-membered fused ring;

Z₁₀ and Z₁₁ each represent a group of atoms necessary to form a nitrogen-containing 5- to 7-membered heterocycle;

L represents a linking group of divalent through tetravalent; and

m and n each represent an integer of 1 or 2.

Claim 6. (currently amended) The material for the organic electroluminescent element of claim 1 ~~any one of claims 1 to 5~~, wherein a wavelength giving a fluorescence maximum of the pyrrole derivative represented by Formula (1) or Formula (2) is not more than 500 nm.

Claim 7. (currently amended) The organic electroluminescent element comprising a pair of electrodes having therebetween one or more constituting layers, wherein:

at least one of the constituting layers is a light emitting layer;

one of the constituting layers contains the pyrrole derivative for the organic electroluminescent element of claim 1 ~~any one of claims 1 to 6.~~

Claim 8. (original) The organic electroluminescent element of claim 7, wherein the light emitting layer contains the pyrrole derivative for the organic electroluminescent element.

Claim 9. (currently amended) The organic electroluminescent element of claim 7 ~~or claim 8~~, wherein the constituting layers contain a hole blocking layer containing the pyrrole derivative for the organic electroluminescent element.

Claim 10. (currently amended) The organic electroluminescent element of claim 7 ~~any one of claims 7 to 10~~, wherein the organic electroluminescent element emits blue light.

Claim 11. (currently amended) The organic electroluminescence element of claim 7 ~~any one of claims 7 to 10~~, wherein the organic electroluminescent element emits white light.

Claim 12. (currently amended) An illuminator comprising the organic electroluminescent element of claim 7 ~~any one of claims 7 to 11.~~

Claim 13. (currently amended) A display device comprising the organic electroluminescent element of claim 7 ~~any one of claims 7 to 11.~~